

NAC3MT
RUE1S

**Neutrik PowerCON TRUE1 Power
Out - S**

*Locking male connector - small-
diameter cables*



NEUTRIK

EAN: 8717748601889



Ensure a secure and reliable power connection with this Neutrik powerCON TRUE1 connector. Designed for demanding environments, this male locking mains connector replaces traditional appliance couplers, providing a robust solution.

The powerCON TRUE1 series features breaking capacity (CBC), allowing safe connection and disconnection under load or live conditions.

Ideal for professional applications where safety and durability are paramount, powerCON TRUE1 connectors guarantee a dependable power connection every time.

Special features:

- Designed for demanding environments
- Locking mechanism ensures a secure connection
- Breaking capacity (CBC) for safe connections/disconnections under load or live

Specifications:

Electrical Specifications and Connections

Rated Current (A)	16 A
Flashover Voltage	250 V
Cable Entry	6-12 mm
Pins	3
Minimum Wire Size	1.5 mm ²
Maximum Wire Size	2.5 mm ²
Maximum Wire Size AWG	14 AWG

Mechanical Specifications

Width (mm)	26.5 mm
Weight	0.04 kg
IP Rating	IP65
Colour	Black

Product Properties

Pin Connection	Screw Terminal
----------------	----------------

Thermal Specifications

Maximum Ambient Temperature	40°C
Minimum Ambient Temperature	-5°C

Product Accessories:

[NAC3FPXTO](#) PowerCon TOP outlet con.locking 16A mains chassis
[P](#)

Downloads:

Declaration

[NAC3MTRUE1S_RoHS II Compliance - Directive 2011_65_EU 2025.pdf](#)

Drawing

[NAC3MTRUE1S_Drawing NAC3M-TRUE1-S \(PDF\).pdf](#)